Eaton 5PX2000RT3UNG2

Catalog Number: 5PX2000RT3UNG2

Eaton 5PX G2 UPS, 3U, 1950 VA, 1950 W, 5-20P input, Outputs: (1) L5-20R, (6) 5-20R, 120V

General specifications

Product Weight

Product Name Catalog Number
Eaton 5PX G2 UPS 5PX2000RT3UNG2

UPC Product Length/Depth

743172105707 19 in

Product Height Product Width 5.1 in 17.2 in

64.2 lb 3 year on electronics, 3 year on batteries

with registration

Warranty

Compliances Certifications

CE Marked REACH CULus RoHS NOM ENERGY STAR

certified IEC 62040-1



Battery

Runtime graph

View runtime graph

Battery management

ABM technology (3-stage charging extends battery service life by 50% and provides advance warning for battery replacement)

Battery replacement

User replaceable

Battery type

Sealed, lead-acid

Extended battery capability

Add up to 4 extended battery modules (EBM). Part number 5PXEBM72RT3UAG2

Electrical output

Receptacle

(1) L5-20R, (6) 5-20R

Topology

Line-interactive

Wattage

1950 W

VA rating

1950 VA

Electrical input

Input connection

5-20P

Input cord length

10 ft

Input nominal voltage

120V

Nominal frequency

50/60 Hz

Input power factor

1

Communications

Expansion slots

One slot, Gigabit Network Card (NETWORK-M2) is included

Software compatibility

Brightlayer Data Centers suite

User interface

LCD graphical display

Environmental

BTU Rating

Online: 154, Battery: 744

Additional specifications

Special features

Gigabit Network Card (NETWORK-M2) card is included and preinstalled. UPS ship-in-rack option for integration into packaged deployments simplifying set up and getting you online quicker (available with the RK4PRS 4-post rail kit)

Form factor

Rack/tower

Rack size

Efficiency

98%

Package contents

5PX2000RT3UNG2 UPS

Tower pedestal feet

Four-post rail kit

Quick start guide

Safety guide

USB cable

RS-232 cable

Eaton Gigabit Network card (NETWORK-M2)

Resources

Brochures

Eaton 5PX G2 UPS brochure

Technical data sheets

Eaton 5PX G2 UPS technical specifications

User guides

Eaton 5PX G2 UPS quick start guide

Warranty and support

Standard factory warranty

- 3-year factory warranty with regsitration
- -3 years
- -Parts, electronics and batteries coverage
- -Standard ground shipping
- -Technical support

Extended service plans

ADVANCED DEPOT EXCHANGE

- -5-YEAR DEPOT REPAIR: 5SW5Y-2500UC
- -Expedited parts coverage for 5 years
- -Parts, electronics and UPS batteries coverage
- -Next business day shipping
- -Technical support

ON-SITE 24X7, NEXT DAY RESPONSE

- 2 YEAR UPGRADE: WUN72XXX-2509UC
- -On-site expedited parts and labor coverage for first 2 years
- -Parts, electronics and UPS batteries coverage
- -Eaton on-site labor coverage
- -24x7 coverage, next day response
- -Next day shipping
- -Technical support

3 YEAR FLEX PLAN: FLN73XXX-2509UC

- -On-site parts and labor coverage for years 3 to 5
- -Parts, electronics and UPS batteries coverage
- -24x7 on-site labor coverage, next day response
- -Next day shipping
- -Technical support



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia