# Ventilador F360 RGB Core NZXT

**360mm Single-Frame RGB Fan Unit**



## F360 RGB Core

★★★★☆ 3.9 (23 Reseñas)

360mm Single-Frame RGB Fan Unit

**Series:** [Fans](#)

| F360 RGB Core ⌄ |
|---|

**Color: Black**

⬤ ⬤

### Inside the Box                    —

- RGB Core Fan
- Mounting Screws x4
- Splitter Cable

### Resources                    —

[Manuals & Documentation](#)

---

# Overview

NZXT F Series RGB Core single-frame fans seamlessly integrate multiple fans for effortless installation while offering superior cooling, whisper-quiet performance, and striking RGB visuals.

- Single-frame unit with integrated fans streamlines installation, setup, and lighting control—no need to connect individual fans.
- Simply connect a single cable to an NZXT controller (sold separately) for lighting and speed control via NZXT CAM software. Or, connect to any motherboard's 5V ARGB header using the included splitter cable.
- Fan blade design boosts static pressure to push air through tight spaces while ensuring optimal airflow. Suitable for both intake and exhaust.
- Fluid dynamic bearings ensure quiet, stable operation across an exceptional 60,000 hour lifespan.
- Eight individually-addressable RGB LEDs per fan hub are diffused through semi-translucent blades for brilliantly colorful visuals.
- PWM-controlled fans dynamically adjust spinning speeds based on PC temperatures for optimal efficiency and reduced noise.
- Anti-vibration rubber corners effectively eliminate noise caused by vibrations for hushed performance at any speed.
- Control lighting and fan speeds via CAM software when connected to an NZXT controller (sold separately).

## All-in-one Design

Single-frame unit with integrated fans streamlines installation, setup, and lighting control.

## Versatile Connectivity

Included splitter cable

Simply connect a single cable to an NZXT controller (sold separately) for lighting and speed control via NZXT CAM software. Or, connect to any motherboard's 5V ARGB header using the included splitter cable.

MAX STATIC PRESSURE

3.3 mm $H_2O$

Per Fan

MAX AIRFLOW

75.12 CFM

Per Fan

## Optimal Performance

Blade design boosts static pressure to push air through tight spaces with superior airflow.

**8 LEDs** per fan

**SPEED**
500-2,400 ± 250 RPM
Per Fan

## Fluid Dynamic Bearings

Ensures low noise, high rotational stability, and a 60,000-hour fan lifespan.

**LIFE** 60,000 Hours

## Radiant RGB Lighting

8 aRGB LEDs per fan hub shine through semi-translucent blades and frame side windows.

## PWM Control

Dynamically adjusts fan speeds based on PC temperatures for optimal efficiency*.

*Requires PWM connection to motherboard or controller (sold separately)*

## Silent Operation

Anti-vibration rubber corners dampen noise and Zero RPM Mode* shuts fans off during light loads.

*Requires an NZXT controller or NZXT motherboard, each sold separately.*

**MAXIMUM NOISE LEVEL**
30 dBA
Per Fan

## Do More with CAM

Control fan speeds, personalize lighting effects, and sync with other NZXT products*.

*Requires an NZXT controller or NZXT motherboard, each sold separately.*

# Tech Specs

## Dimensions

| Height | 360 mm |
|---|---|
| Width | 120 mm |
| Depth | 26 mm |

## Fans

| Speed | 500 - 2,400 ± 250 RPM per fan |
|---|---|
| Airflow | 75.12 CFM per fan |
| Static Pressure | 3.3 mm $H_2O$ per fan |
| Noise | 30.00 dBA per fan |
| Power Consumption | 12V DC, 0.79A, 9.48W / 5V DC, 0.81A, 4.05W |
| Bearing | Fluid Dynamic Bearing |
| Output LED | 8 LEDs per Fan |
| Connector | 8-pin for PWM & RGB |
| Cable Length | 1 x 600 mm |
| Material | Plastic, Rubber, PCB |
| Life | 60,000 Hours |

## Cable

| Splitter Cable Connections & Cable Length | 4-pin PWM Fan Cable (1 x 300 mm) / 5V RGB & 4-pin NZXT RGB Cable (1 x 100 mm) |
|---|---|

## General

| Warranty | 5 Years |
|---|---|

## Black Variant

| Model Number | RF-U36HF-B1 |
|---|---|
| UPC | 810074844529 |
| EAN | 5056547204437 |

## White Variant

| Model Number | RF-U36HF-W1 |
|---|---|
| UPC | 810074844536 |
| EAN | 5056547204444 |