

Especificaciones

Eaton 9PXEBM180RTG2

Eaton 9PX Gen 2 Extended Battery Module (EBM), 180V, 3U Rack/tower, VRLA battery



General specifications

PRODUCT NAME	Eaton 9PX extended battery module (EBM)
CATALOG NUMBER	9PXEBM180RTG2
UPC	786689860073
PRODUCT LENGTH/DEPTH	25.04 in
PRODUCT HEIGHT	5.12 in
PRODUCT WIDTH	17.32 in
PRODUCT WEIGHT	144.84 lb
COMPLIANCES	CISPR22 Class A / FCC part 15 Class A FCC Part 15 CE Marked
CERTIFICATIONS	cULus Listed IEC 62040-2:2006 Cat C2 NOM ENERGY STAR certified ICC-ES AC156 OSHPD Seismic certified



Powering Business Worldwide

Especificaciones del producto

FORM FACTOR Rack/tower

RACK SIZE 3U

COLOR Black/silver

RACK MOUNTING KIT Yes

PACKAGE CONTENTS

- 9PXEBM180RTG2 3U extended battery module
- 4-post rail kit
- Quick start guide
- Joining brackets for tower configuration
- EBM connector cable

INPUT CORD LENGTH 1 ft

BATTERY REPLACEMENT Hot-swappable internal batteries and extended battery modules (EBMs). Replacement battery part # EBP-1805 (qty 2 per EBM)

BATTERY TYPE Sealed, lead-acid

STANDARD FACTORY WARRANTY

- 3-YEAR FACTORY WARRANTY
- - 3 years
- - Parts, electronics and batteries coverage
- - Standard ground shipping
- - Technical support

EXTENDED SERVICE PLANS

- ADVANCED DEPOT EXCHANGE
- - 5-year depot repair: 9SW5Y-18000BC
- - Expedited parts coverage for 5 years
- - Parts, electronics and UPS batteries coverage
- - Next business day shipping
- - Technical support
-
- 5-YEAR ON-SITE PLAN: WEBN75XX-

Recursos

7000BC

- - On-site parts and labor coverage for years 5
- - Parts, electronics and UPS batteries coverage
- - 24x7 on-site labor coverage, next-day response
- - Next-day shipping
- - Technical support

RELATIVE HUMIDITY 0-95% non-condensing

TEMPERATURE RANGE 0° to 40°C (32° to 104°F)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

FECHA:



Eaton Corporation plc
Eaton House
Carretera 30 Pembroke
Dublín 4, Irlanda
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. Todos los derechos reservados.